Application No. Applicant(s) HYVARINEN ET AL. 09/988,897 Notice of Allowability Examiner Art Unit 1722 Donald Heckenberg -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. A This communication is responsive to the amendment filed on October 17, 2003. 2. The allowed claim(s) is/are 1-11, 13, 15-16 and 18 (renumbered as 1-15). 3. The drawings filed on 19 November 2001 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: a) 🖾 All 1.

Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. _____. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. . (b) including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. ___ Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. 9. 🔲 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1 Notice of References Cited (PTO-892) 2 Notice of Informal Patent Application (PTO-152) 3 Notice of Draftperson's Patent Drawing Review (PTO-948) 4⊠ Interview Summary (PTO-413), Paper No._ . 5 Information Disclosure Statements (PTO-1449), Paper No. _____. 6⊠ Examiner's Amendment/Comment 7 Examiner's Comment Regarding Requirement for Deposit 8 Examiner's Statement of Reasons for Allowance of Biological Material 9
☐ Other

Art Unit: 1722

t e f

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edward Ellis (Applicants' Representative) on November 4, 2003.

IN THE CLAIMS

In claim 13, line 19, the phrase "preferably about 90°," has been deleted.

In claim 13, line 21, the phrase "preferably about 130°" has been deleted.

The following new claim has been added:

--18. A screen pipe according claim 13, wherein the angle of the downstream edge (8a) of the profiled groove to the jacket tangent is about 90°, and the angle of the upstream edge (8b) of the profiled groove to the jacket tangent is about 130°.--

Application/Control Number: 09/988,897

Art Unit: 1722

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Heckenberg whose telephone number is (703) 308-6371. The examiner can normally be reached on Monday through Friday from 9:30 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker, can be reached at (703) 308-0457. The official fax phone number for the organization where this application or proceeding is assigned is (703) 972-9306. The unofficial fax phone number is (703) 305-3602.

Donald Heckenberg November 4, 2003 JAMES P. MACKEY
PRIMARY EXAMINER

Page 3

11/5/03